








Idelta. Pure design.

The Idelta series is an aerodynamic design option, born to withstand the strongest gusts of wind. Its light aesthetic, with its sumptuous and daring lines, adapts to the most cutting-edge trends in urban architecture, and it offers an unexpectedly modern touch to the most traditional spaces. An option of design and resistance that will no doubt leave no one unmoved.



H: 4M. M.H. 150 W
Lux

Illuminance





Technical Data

- Protection degree IP 65 IK 10.
- Isolation degree Class II.
- Base, intermediate body, closing ring and coupling bracket of deflector made from aluminium alloy.
- Upper deflector made from aluminium sheet 4 mm thick, finished in white colour polyester resins.
- Symmetrical intensive reflector made from high purity aluminium.
- Control gear plate made from galvanised steel sheet. Fixed to it ,on its upper part we supply:
Ceramic lampholder and reflector
And on its lower part:
Ballast, ignitor and capacitor, fully wired
Connection terminal to connect to the mains.
Fixation clamp for feeding cable.
- Tempered closing glass for the optics.
- Rx7s ceramic lampholder
- Outside stainless steel screws
- Coupling to columns with Ø 60 x 100mm length spigot
- Lantern finished in high corrosion resistant polyester resins.
- Available colours
White RAL 9003, Black RAL 9011, Green RAL 6012 and Forge-Grey.



Suggestions of use

Outdoor decorative lighting, streets, squares and boulevards.
Ideal to any architectural environment, this luminaire stands out for its low glare and low luminance, providing a lighting exempt of hard shadows.


- Supplied in two cartons:
One with the complete luminaire without control gear

The Idelta luminaire was designed to be able to support the forces caused by winds of up to 150 Km/h.



Lamp	W	Lampholder	Equipment	Idelta	Weight (Kg)
 H.P.S./M.H.	70	Rx7s	YES	F-24970-HS	19,58
 H.P.S./M.H.	150	Rx7s	YES	F-24915-HS	20,33

Specify desired colour after the code number: (-B) White, (-G) Forge Grey, (-N) Black, (-V) Green



Idelta	A	B	C	D
	1074	Ø78	600	893